

# ARCHITECTURAL USL-AC13Q Acoustic Linear Fixture



PROJECT		TYPE		DATE	
---------	--	------	--	------	--












Architectural Interior Dry Location Dimmable AC Up/Down 5 Year Warranty

## OVERVIEW

This linear fixture features a fabric covering to absorb sound. This is ideal for environments such as open offices, lobbies, and conference rooms. Color can be used to coordinate with room colors or company branding.



## FEATURES

- Aluminum body with polycarbonate lens
- PF>0.9
- Constant current
- IP20
- Up/down models available (30% uplight, 70% downlight)
- 120° beam angle

## ORDERING INFORMATION

EXAMPLE PN: USL-AC13Q-40

USL-AC13Q	SIZE / POWER / LIGHT DIRECTION	CCT	FINISH*	FABRIC	HEIGHT
	<b>40-40WD</b> 40 INCHES, 40 WATTS, DOWN	<b>30K</b> 3000K	<b>S</b> SILVER	<b>101</b> COLOR CODES	<b>8</b> 8 INCHES
	<b>40-50WU</b> 40 INCHES, 50 WATTS, UP/DOWN	<b>40K</b> 4000K	<b>W</b> WHITE	· RANGE FROM	<b>12</b> 12 INCHES
	<b>80-80WD</b> 80 INCHES, 80 WATTS, DOWN	<b>65K</b> 6500K	<b>B</b> BLACK	· 101-148 (SEE	<b>16</b> 16 INCHES
	<b>80-100WU</b> 80 INCHES, 100 WATTS, UP/DOWN			· LATER PAGES	
				<b>148</b> FOR IMAGES)	

\*Note: silver finish is standard

# ARCHITECTURAL USL-AC13Q Acoustic Linear Fixture




## SPECIFICATIONS

MODEL	OPERATION VOLTAGE	OPERATING TEMPERATURE	RATED LIFESPAN	CCT	CRI	EFFICACY
USL-AC13Q	120-277V	-4°F – 104°F -20°C – 40°C	50,00 HOURS	3000K, 4000K, 6500K	90+	105 lm/W

MODEL	POWER (W)	NOMINAL LENGTH	LIGHT DISTRIBUTION	LUMENS (lm) ±10%	EFFICACY (lm/W)
USL-AC13Q-40-40WD	40	40 in	DOWN	4,200	105
USL-AC13Q-40-50WU	50		UP/DOWN	5,250	105
USL-AC13Q-80-80WD	80	80 in	DOWN	8,400	105
USL-AC13Q-80-100WU	100		UP/DOWN	10,500	105

## DIMENSIONS

MODEL	L LENGTH	W WIDTH	H HEIGHT
USL-AC13Q-40-x-x-x-8	40.1 in 1018 mm	2.1 in 53 mm	7.4 in 188 mm
USL-AC13Q-40-x-x-x-12			11.3 in 288 mm
USL-AC13Q-40-x-x-x-16			15.3 in 388 mm
USL-AC13Q-80-x-x-x-8	79.4 in 2018 mm		7.4 in 188 mm
USL-AC13Q-80-x-x-x-12			11.3 in 288 mm
USL-AC13Q-80-x-x-x-16			15.3 in 388 mm



FABRIC COLOR CODES

107 BLACK	119 DARK GRAY	106 DARK GRAY	141 DARK GRAY	122 GRAY	103 GRAY	109 GRAY
113 BLUE	110 BLUE	111 LIGHT BLUE	144 GRAY/BLUE	105 GRAY	104 GRAY	101 GRAY
137 BLUE	138 DEEP BLUE	123 DEEP BLUE	120 DEEP BLUE/BLACK	116 BLUE/GREEN	117 GREEN	146 GREEN
143 TAN	124 TAN	129 YELLOW	145 YELLOW	114 GREEN	115 GREEN	118 GREEN
128 TAN	126 TAN	125 ORANGE	130 ORANGE	134 ORANGE	133 RED	135 RED
147 BROWN	121 BROWN	112 BROWN	139 RED/BROWN	108 RED/BROWN	140 DEEP RED	136 DEEP RED
127 BROWN	148 BROWN	102 BROWN	142 PINK	131 PINK/PURPLE	132 PURPLE	